


NOAA Climatological Data: Connecticut, June 1998



The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the conditions of the oceans and the atmosphere. NOAA warns of dangerous weather, charts seas and skies, guides the use and protection of ocean and coastal resources and conducts research to improve understanding and stewardship of the environment. The NOAA publishes data, research and documents related to the organizations areas of expertise. Some of these publications include Climatological Data.

Climatological Data (DC) monthly publication/annual contains station daily maximum and minimum temperatures and precipitation amounts. Some stations provide daily snowfall, snow depth, evaporation, and soil temperature data. Each issue also contains monthly summaries for heating and cooling degree days (65 degrees F base). The July issue also contains monthly heating degree days and snow data for the preceding July through June. The annual issue contains monthly and annual averages of temperature, precipitation amounts, temperature extremes, freeze data, soil temperatures, evaporation, and a recap of monthly cooling degree days. This is one of those documents.

[\[PDF\] SUPERNATURAL FINANCE RECOVERY: FINANCIAL HEALING CLINICS](#)

[\[PDF\] Business and Economics Statistics With Computer Applications](#)

[\[PDF\] e-Study Guide for Precalculus: A Right Triangle Approach, textbook by Judith A. Beecher: Mathematics, Mathematics](#)

[\[PDF\] Wild life of orchard and field](#)

[\[PDF\] Educated people of Japan hilarious problem \(5 culture of Japan hilarious problem\) Why biochemistry? Whether](#)

[die \(2007\) ISBN: 4062142856 \[Japanese Import\]](#)

[\[PDF\] Theory of Functions of a Complex Variable \(Classic Reprint\)](#)

[\[PDF\] Multi-Mirror Solar Energy Concentrating PV/T System Design: Power Plants Based on Concentrating Solar Energy Systems](#)

June 2014 - National Climatic Data Center - NOAA July 2014 - National Climatic Data Center - NOAA

Description. The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on **June 2010 - National Climatic Data Center - NOAA** Averages and records for this station are not official NWS values. T = Trace of Precipitation, MM = Missing Value, Source: NWS Daily Summary **Noaa Climatological Data: Connecticut, June 1998 by -Paperback** For more information on this data, please visit the Alaska Climate Divisions FAQ. . 4th driest Massachusetts, 9th driest Connecticut, 12th driest and Maine and **Annual 2006 - National Climatic Data Center - NOAA** National Climatic Data Center Weather and Climate Billion-Dollar Disasters to affect the U.S. from 1980-2017 . June 2016 . 2015-06-21, 2015-06-25, Severe storms across numerous Central and Northeast states (CO, CT, IA, IL, MD, MI, NJ, .. of tornadoes and severe weather over the midwest (OK, KS, NE, IA) with 98 **January 2015 - National Climatic Data Center - NOAA** The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the **Weather Data Depot: free downloads of heating & cooling degree days** A new dynamically generated Local Climatological Data (LCD) product will be please contact NCDC Customer Support at 828-271-4800 or @noaa.gov. heating degree days and snow data for the preceding July through June. **October 2013 - National Climatic Data Center - NOAA** NCEI added Alaska climate divisions to its nClimDiv dataset on Friday, March 6, 2015, coincident with the release of the February 2015 monthly monitoring **Weather History & Data Archive Weather Underground** Asheville, NC: National Climatic Data Center _____. (1974). National Oceanic and Atmospheric Administration (NOAA). Asheville, NC: June 1998. **Noaa Climatological Data: Connecticut, June 1998:** The State Climate Extremes Committee (SCEC) was created in 2006 in Alaska, Maximum Temperature, 100F, June 27, 1915, FORT YUKON Connecticut, Maximum Temperature, 106F, August 23, 1916 .. March 1, 1998, LEAD, 394834, E .. The data may come from sources other than official NOAA-supervised **June 2016 - National Climatic Data Center - NOAA** For more information on this data, please visit the Alaska Climate . Connecticut and Rhode Island were the dry states at 91 percent of normal. Heavy rain during June left waterways already running high in July. .. as well, at an average 77.5 F (25.3 C), exceeding the July 1998 record by 1.4 F (0.8 C). **Annual 2008 - National Climatic Data Center - NOAA** Weather Data Depot: free heating degree day and cooling degree day reports/charts. Spreadsheet-ready. Just Copy to Clipboard and paste to Excel! **State of the Climate - National Climatic Data Center - NOAA** The State of the Climate is a collection of monthly summaries recapping climate-related occurrences on both a global and national scale. **July 2016 - National Climatic Data Center - NOAA** For more information on this data, please visit the Alaska Climate Divisions FAQ. Belts, NWS Regions, Alaska and Cities Palmer Indices are not available for NWS Regions, Alaska and Cities. . 192805, 61.52F, 98, 1.32F . Series, published June 2017, retrieved on June 18, 2017 from <http://cag/>. **Weather History for New Haven, CT Weather Underground** would like to see weather history. You can select a range of dates in the results on the next page. Location: Date: January, February, March, April, May, June **National Climate Report - June 2015 - National Climatic Data Center** Precipitation during June averaged 98 percent of normal overall, normal in West Virginia to 97 percent of normal in Connecticut and Vermont. **July 2013 - National Climatic Data Center - NOAA** an analysis of national temperatures and precipitation, placing the data into a historical perspective. This was the wettest first five months of a year since 1998. Precipitation for all states ranged from 101 percent of normal in Connecticut to 137 .. on June 18, 2017 from <https://sotc/national/201705>. **Noaa Climatological Data: Connecticut, June 1998:** The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the **National Climate Report - Annual 2015 - National Climatic Data Center** The nationally-averaged June precipitation total of 3.43 inches was 0.54 inch . June 2013 was the third wettest on record in Connecticut (233 **Billion-Dollar Weather and Climate Disasters: Table of Events** In a mid-January 2007 climate report and NOAA press release, NCDC indicated the The USHCN version 2 (V2) data set, shows 20 to be the two Warm temperatures persisted into the Summer (June-August) months, as the . In Hartford, CT, a snowfall total of 21.9 inches (55.6 cm) broke the old storm total **Climatological Rankings - National Climatic Data Center - NOAA** The most up-to-date temperature and precipitation data is available through Climate at a Glance. . June was particularly warm for the CONUS, with a temperature According to NOAA data analyzed by the Rutgers Global Snow Lab, for the . average and the second warmest on record behind only 1998. **NCDC - Image and**

Publications System - National Climatic Data 2010, 2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998 For more information on this data, please visit the Alaska Climate Divisions FAQ. NOAAs National Centers for Environmental Information produces Delaware, Rhode Island, Connecticut [tied], New Jersey, Maryland, **Noaa Climatological Data: Connecticut, June 1998 by - Paperback** For more information on this data, please visit the Alaska Climate Divisions FAQ. a warmer-than-normal summer (June-August), as the nation ranked the U.S. were slightly cooler than the 20-year (1979-1998) average. Vermont, New York, Massachusetts, and Connecticut were much above normal. **National Climate Report - National Climatic Data Center - NOAA** The June precipitation total for the contiguous U.S. was 2.46 inches, 0.47 . F (0.6 degrees C) above normal in Connecticut and West Virginia. **June 2013 - National Climatic Data Center - NOAA** June Extreme Weather/Climate Events El Nino still probable later this year: According to NOAAs Climate Prediction Center, there is a 65 percent . in Pennsylvania and West Virginia, two each in Maine and Massachusetts, and one in Connecticut. . The wettest July occurred back in 1998 with 4.43 inches (113 mm).