


NOAA Climatological Data: Connecticut, February 2007



The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the conditions of the oceans and the atmosphere. NOAA warns of dangerous weather, charts seas and skies, guides the use and protection of ocean and coastal resources and conducts research to improve understanding and stewardship of the environment. The NOAA publishes data, research and documents related to the organizations areas of expertise. Some of these publications include Climatological Data.

Climatological Data (DC) monthly publication/annual contains station daily maximum and minimum temperatures and precipitation amounts. Some stations provide daily snowfall, snow depth, evaporation, and soil temperature data. Each issue also contains monthly summaries for heating and cooling degree days (65 degrees F base). The July issue also contains monthly heating degree days and snow data for the preceding July through June. The annual issue contains monthly and annual averages of temperature, precipitation amounts, temperature extremes, freeze data, soil temperatures, evaporation, and a recap of monthly cooling degree days. This is one of those documents.

[\[PDF\] Integrated Upland Monitoring in Capitol Reef National Park: Annual Report 2008](#)

[\[PDF\] A brief introduction to qualitative analysis: For use in instruction in chemical laboratories](#)

[\[PDF\] Sixth Edition Applied Calculus](#)

[\[PDF\] Holt Science Spectrum Arizona: Test Preparation Workbook Physical Science with Earth and Space Science](#)

[\[PDF\] The Competition \(Rilem Report\)](#)

[\[PDF\] ESSAYS IN GEOBOTANY In Honor of William Albert Setchell](#)

[\[PDF\] Lay Sermons, Addresses and Reviews...](#)

Climate at a Glance - National Climatic Data Center - NOAA According to analysis of NOAA data by the Rutgers Global Snow Lab, the . Eight states had their 2nd coldest February on record: Connecticut, **February 2016 - National Climatic Data Center - NOAA** Include a date for which you would like to see weather history. You can select a range of dates in the results on the next page. Location: Date: January, February **February 2012 - National Climatic Data Center - NOAA** NOAA Climatological Data: Connecticut, February 2007: : National Oceanic and Atmospheric Adminis: Libros en idiomas extranjeros. **February 2008 - National Climatic Data Center - NOAA** an analysis of national temperatures and precipitation, placing the data into a historical 2017, 2016, 2015, 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007, 2006 coincident with the release of the February 2015 monthly monitoring report. . Precipitation for all states ranged from 101 percent of normal in Connecticut to **January 2013 - National Climatic Data Center - NOAA** For more information on this data, please visit the Alaska Climate Divisions FAQ. drought, smaller than the 54.2 percent at the end of February. . New York, 12th Pennsylvania, 13th Connecticut, 21st and New Hampshire, 22nd. .. tying the same date in 2007 as the earliest triple-digit temperature since **March 2013 - National Climatic Data Center - NOAA** **Weather Data Depot: free downloads of heating & cooling degree days** For more information on this data, please visit the Alaska Climate Divisions FAQ. the wettest February on record: Connecticut, Massachusetts, Rhode Island, and During the winter of 2007-2008, much of the West received above average **Drought - National Climatic Data Center - NOAA** For more information on this data, please visit the Alaska Climate . On February 14, Wallingford, Connecticut ended their Water Supply Alert, **National Weather Service climate data** The State Climate Extremes Committee (SCEC) was created in 2006 in response to the need Connecticut, Minimum Temperature, -32F, February 16, 1943, FALLS VILLAGE, 062658, E1 .. August 19, 2007, HOKAH WWTP, 213808, NS .. The data may come from sources other than official NOAA-supervised weather **February 2013 - National Climatic Data Center - NOAA** NCEI added Alaska climate divisions to its nClimDiv dataset on Friday, March 6, 2015, coincident with the release of the February 2015 monthly monitoring **Weather History & Data Archive** **Weather Underground** The data presented in this drought report are preliminary. Ranks, anomalies . Connecticut statewide precipitation, February-May, 1895-2015. **Climatological Rankings - National Climatic Data Center - NOAA** The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the **Bridgeport, CT Historical Data - National Weather Service** noaa climatological data: connecticut, february 2007 comprar el libro - ver opiniones y comentarios. Compra y venta de libros importados, novedades y **LCD - National Climatic Data Center - NOAA** The most up-to-date temperature and precipitation data is available through February brought a stark spatial contrast in temperatures across the nation. . According to NOAA data analyzed by the Rutgers Global Snow Lab, for the The East Coast was much warmer than average with Connecticut, New **Billion-Dollar Weather and Climate Disasters: Table of Events** Readme <http://oa/climate/ghcn-monthly/index.php> . . Z (archived 5.2 MB Feb 2007) I havent examined this data set yet or the UHI adjustment . Also see <http://www.wrcc.dri.edu/inventory/sodct.html> (ct = Connecticut) **State Climate Extremes Committee - National Climatic Data Center** Averages and records for this station are not official NWS values. T = Trace of Precipitation, MM = Missing Value, Source: NWS Daily Summary **Annual 2008 - National Climatic Data Center - NOAA** Weather Data Depot: free heating degree day and cooling degree day reports/charts. Spreadsheet-ready. Just Copy to Clipboard and paste to Excel! **Weather History for Hartford, CT** **Weather Underground** 2017, 2016, 2015, 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007 For more information on this data, please visit the Alaska Climate Divisions FAQ was in drought, a decrease from 38.7 percent at the end of February . Of the twelve states in the region, seven had their warmest March since 1895 (CT, **Noaa Climatological Data: Connecticut, February 2007: Amazon** QCLCD ASCII, or plain text, data files provide monthly summaries of observations for all stations. Files between 20 may not match the same **NDBC - Station 44040 Recent Data - National Data Buoy Center** For the winter period, NOAA's U.S. Climate Extremes Index, an index that . Airport and Bridgeport, CT saw their warmest February on record. **NOAA Climatological Data: Connecticut, February 2007:** 2017, 2016, 2015, 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007, 2006, 2005, 2004 Climate Highlights winter (December 2015-February 2016) According to an analysis of NOAA data by the Rutgers Global Snow Lab, the . CT each had their all-time coldest February temperature on record. **February 2015 - National Climatic Data Center - NOAA** 2017, 2016, 2015, 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007, 2006, 2005 For more information on this data, please visit the Alaska Climate Divisions FAQ. On February 14, 2013, NCDC fixed this error in its software, included an California, Connecticut, and Florida each had one of their ten driest Januaries. **National Climate Report -**

Annual 2015 - National Climatic Data Center National Data Buoy Center - Recent observations from buoy 44040 (40.956N 73.580W) Owned and maintained by University of Connecticut, Department of Marine Sciences Latest NWS Marine Forecast Real time standard meteorological data and their description. Standard meteorological data: Feb Mar Apr May. **AHPS Precipitation Analysis - National Weather Service - Water** Climate Highlights February The February average temperature for . C) in West Virginia to -0.2 degrees F (-0.1 degrees C) in Connecticut. NOAA logo - Click to go to the NOAA homepage, National Weather Service, NWS logo - Click to go to the NWS homepage Advanced **noaa climatological data: connecticut, february 2007 comprar el libro** For more information on this data, please visit the Alaska Climate The 2007-2008 winter season (December-February) was the 53rd . Maine, Vermont, New York, Massachusetts, and Connecticut were much above normal. **Annual 2016 - National Climatic Data Center - NOAA** Daily climatological data can be analyzed to produce averages and records. Seasonal reports cover a three month period: Dec-Feb for Winter, Mar-May for **February 2017 - National Climatic Data Center - NOAA** National Climatic Data Center Weather and Climate Billion-Dollar Disasters to affect the U.S. from 1980-2017 (CPI-Adjusted) single outbreak during a winter month (Dec.-Feb.) for records going back to 1950. .. 2015-06-21, 2015-06-25, Severe storms across numerous Central and Northeast states (CO, CT, IA, IL, MD, **National Climate Report - National Climatic Data Center - NOAA** NCEI added Alaska climate divisions to its nClimDiv dataset on Friday, March 6, 2015, coincident with the release of the February 2015 monthly monitoring **Station Data Climate Audit** Boston Weather Forecast Office 445 Myles Standish Blvd Taunton, MA 02780. Tel: Ask Questions/Webmaster Page last modified: 18-Dec-2014 9:26 PM