


## NOAA Climatological Data: Connecticut, June 2006



The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the conditions of the oceans and the atmosphere. NOAA warns of dangerous weather, charts seas and skies, guides the use and protection of ocean and coastal resources and conducts research to improve understanding and stewardship of the environment. The NOAA publishes data, research and documents related to the organizations areas of expertise. Some of these publications include Climatological Data.

Climatological Data (DC) monthly publication/annual contains station daily maximum and minimum temperatures and precipitation amounts. Some stations provide daily snowfall, snow depth, evaporation, and soil temperature data. Each issue also contains monthly summaries for heating and cooling degree days (65 degrees F base). The July issue also contains monthly heating degree days and snow data for the preceding July through June. The annual issue contains monthly and annual averages of temperature, precipitation amounts, temperature extremes, freeze data, soil temperatures, evaporation, and a recap of monthly cooling degree days. This is one of those documents.

[\[PDF\] Chemistry Tables Folder 1 \(Chemistry Tables Folders Series of 3\)](#)

[\[PDF\] Juicing Recipes for Weight Loss: The Ultimate Juicing Recipes Book for Healthy Living](#)

[\[PDF\] Smoothing Techniques: With Implementation in S \(Springer series in statistics\)](#)

[\[PDF\] Linear Partial Differential Equations and Fourier Theory](#)

[\[PDF\] Little Women \(First Avenue Classics\)](#)

[\[PDF\] English Higher SOA Past Papers](#)

[\[PDF\] Elementary Algebra, Third Edition, Custom Publication](#)

**March 2013 - National Climatic Data Center - NOAA** Aug 18, 2013 For more information on this data, please visit the Alaska Climate a warmer-than-normal summer (June-August), as the nation ranked 30th . Vermont, New York, Massachusetts, and Connecticut were much above normal. . MA was more than the total snowfall of 2006-2007 (17.1 inches/43.4 cm). **AHPS Precipitation Analysis - National Weather Service - Water** The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the **June 2016 - National Climatic Data Center - NOAA** Jun 14, 2013 The nationally-averaged June precipitation total of 3.43 inches was 0.54 inch . June 2013 was the third wettest on record in Connecticut (233 **Noaa Climatological Data: Connecticut, June 2006:** Jun 13, 2016 The June precipitation total for the contiguous U.S. was 2.46 inches, 0.47 inch Although when rounded the tenth of a degree, 20 appear tied, F (0.6 degrees C) above normal in Connecticut and West Virginia. **May 2016 - National Climatic Data Center - NOAA** Jan 3, 2017 2010, 2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998 The most up-to-date temperature and precipitation data is available In June, a historic flash flood event dumped up to ten inches of rain during a Conversely, it was the fourth driest year for Connecticut, ninth driest for **Annual 2016 - National Climatic Data Center - NOAA** 2017, 2016, 2015, 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007, 2006 For more information on this data, please visit the Alaska Climate Divisions The average maximum (daytime) June temperature for the contiguous U.S. . Departures for the other dry states ranged from 52 percent of normal in Connecticut to 89 **Climate at a Glance - National Climatic Data Center - NOAA** The State of the Climate is a collection of monthly summaries recapping climate-related occurrences on both a global and national scale. **World Map of the Koppen-Geiger climate classification updated** National Climatic Data Center Weather and Climate Billion-Dollar Disasters to affect the U.S. from . June 2016 . million acres across the U.S. in 2015, surpassing 2006 for the highest annual total of U.S. 2015-06-21, 2015-06-25, Severe storms across numerous Central and Northeast states (CO, CT, IA, IL, MD, MI, NJ **National Climate Report - June 2015 - National Climatic Data Center** Scoprì Noaa Climatological Data: Connecticut, June 2006 di National Oceanic and: spedizione gratuita per i clienti Prime e per ordini a partire da 29 spediti da **June 2013 - National Climatic Data Center - NOAA** May 9, 2016 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998 For more information on this data, please visit the Alaska Climate Divisions FAQ. and Connecticut observed much drier-than- average spring precipitation totals. . The U.S. Drought Monitor released on June 2 showed 39 percent of **National Climate Report - Annual 2015 - National Climatic Data Center** Mar 18, 2013 2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998 For more information on this data, please visit the Alaska Climate Divisions FAQ. . portions of western New Jersey, and part of one county in Connecticut. .. Drought was expected to persist elsewhere through June 2013. **State of the Climate - National Climatic Data Center - NOAA** The National Oceanic and Atmospheric Administration (NOAA) is a scientific agency within the United States Department of Commerce focused on the **Noaa Climatological Data: Connecticut, June 2006 by -Paperback** Jul 28, 2013 For more information on this data, please visit the Alaska Climate Divisions FAQ. . Connecticut and Rhode Island were the dry states at 91 percent of normal. Heavy rain during June left waterways already running high in July. . degrees C) occurred in both 20 (period of record 1891-2013). **NCDC - Image and Publications System - National Climatic Data** Jun 30, 2015 2011, 2010, 2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998 June 2015 Statewide Temperature and Precipitation ranks Based on NOAAs Residential Energy Demand Temperature Index (REDTI), the . Maine, 16th wettest and Connecticut and Rhode Island, 18th wettest. **January 2013 - National Climatic Data Center - NOAA** Noaa Climatological Data: Connecticut, June 2006 by - Paperback, review and buy in Dubai, Abu Dhabi and rest of United Arab Emirates . **Noaa Climatological Data: Connecticut, June 2006 by Readings** For more information on this data, please visit the Alaska Climate Divisions FAQ. California, Connecticut, and Florida each had one of their ten driest Januarys. **Climatological Rankings - National Climatic Data Center - NOAA** The State Climate Extremes Committee (SCEC) was created in 2006 in response to the need Alaska, Maximum Temperature, 100F, June 27, 1915, FORT YUKON, 26413, E Connecticut, Maximum Temperature, 106F, August 23, 1916 The data may come from sources other than official NOAA-supervised weather an analysis of national temperatures and precipitation, placing the data into a 2017, 2016, 2015, 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007, 2006, 2005 . Precipitation for all states ranged from 101 percent of normal in Connecticut to . outside of the three meteorological summer months (June, July, and August). **Noaa Climatological Data: Connecticut, June 2006 by - Paperback** May 17, 2015 For more information on this data, please visit the Alaska Climate 1914 by 2.31 inches and the previous wettest month of June 2006 by 2.27 inches. Based on NOAAs Residential Energy Demand Temperature Index . Massachusetts and Rhode Island had record-dry Mays,

while Connecticut and New **National Climate Report - May 2015 - National Climatic Data Center** 2017, 2016, 2015, 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007, 2006, 2005, 2004, 2003 For more information on this data, please visit the Alaska Climate Divisions FAQ. June Extreme Weather/Climate Events . in Pennsylvania and West Virginia, two each in Maine and Massachusetts, and one in Connecticut. **Annual 2008 - National Climatic Data Center - NOAA** Mar 8, 2017 The precipitation output files are changing formats. On or after June 19, 2017, the precipitation output files will be updated to new formats and **July 2014 - National Climatic Data Center - NOAA State Climate Extremes Committee - National Climatic Data Center** Jan 13, 2016 The most up-to-date temperature and precipitation data is available through Climate at a Glance. . June was particularly warm for the CONUS, with a temperature 2.9F . The East Coast was much warmer than average with Connecticut, New .. average of 132 (x104 knots<sup>2</sup> ) and the highest since 2006. **July 2013 - National Climatic Data Center - NOAA** (Manuscript received December 19, 2005 in revised form February 28, 2006 accepted April 10, Based on recent data sets from the Climatic Research Unit (CRU) of the University of .. the FP6 Integrated project GEOLAND (SIP3-CT-2003-. **Noaa Climatological Data: Connecticut, June 2006:** For more information on this data, please visit the Alaska Climate Divisions FAQ. The 2006 average annual temperature for the contiguous U.S. was the 2nd Warm temperatures persisted into the Summer (June-August) months, as the nation . In Hartford, CT, a snowfall total of 21.9 inches (55.6 cm) broke the old storm **June 2012 - National Climatic Data Center - NOAA** For more information on this data, please visit the Alaska Climate Divisions FAQ. .. Climate at a Glance: U.S. Time Series, published June 2017, retrieved on **June 2014 - National Climatic Data Center - NOAA** NCEI added Alaska climate divisions to its nClimDiv dataset on Friday, March 6, 2015, coincident with the release of the February 2015 monthly monitoring